

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/888,365	06/22/2001	Stephen DeOrnellas	TEGL-01092US1	8894
23910	7590 07/03/2006		EXAMINER	
FLIESLER MEYER, LLP FOUR EMBARCADERO CENTER			ALEJANDRO MULERO, LUZ L	
SUITE 400	ARCADERO CENTER		ART UNIT	PAPER NUMBER
SAN FRANC	ISCO, CA 94111		1763	
			DATE MAIL ED: 07/03/2006	S

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
Office Action Commence	09/888,365	DEORNELLAS ET AL.				
Office Action Summary	Examiner	Art Unit				
	Luz L. Alejandro	1763				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period v - Failure to reply within the set or extended period for reply will, by statute. Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tin will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	. the mailing date of this communication. 0 (35 U.S.C. § 133).				
Status	•					
1)⊠ Responsive to communication(s) filed on 5/01/	<u>′06</u> .					
2a)⊠ This action is FINAL . 2b)☐ This	action is non-final.					
3) Since this application is in condition for alloward closed in accordance with the practice under E						
Disposition of Claims						
4) Claim(s) 19 and 67-83 is/are pending in the ap 4a) Of the above claim(s) is/are withdraw 5) Claim(s) is/are allowed.			•			
6)⊠ Claim(s) <u>19 and 67-83</u> is/are rejected.		•				
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/o	r election requirement.					
Application Papers	·					
9) The specification is objected to by the Examine						
10) ☐ The drawing(s) filed on is/are: a) ☐ acc						
Applicant may not request that any objection to the						
Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:	n priority under 35 U.S.C. § 119(a)-(d) or (f).				
1. Certified copies of the priority document		•				
2. Certified copies of the priority document						
3. Copies of the certified copies of the price		ed in this National Stage				
application from the International Burea		· od				
* See the attached detailed Office action for a list of the certified copies not received.						
	•					
Attachment(s) 1) Notice of References Cited (PTO-892)	4) Interview Summar	y (PTO-413)				
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail [oate				
Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08 Paper No(s)/Mail Date	5) Notice of Informal 6) Other:	Patent Application (PTO-152)				
	· — — — — — — — — — — — — — — — — — — —					

Application/Control Number: 09/888,365

Art Unit: 1763

DETAILED ACTION

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claims 19 and 67-83 are rejected under 35 U.S.C. 103(a) as being unpatentable over Collins et al., U.S. Patent 5,556,501 in view of DeOrnellas et al., WO 99/25568.

Collins et al. shows the invention as claimed including a method of operating an etch reactor which comprises a reactor chamber 16B, an upper electrode 17T/17S with power applied thereto from a RF source 40, at least one side electrode 12, a first heater 96 that heats said upper electrode, and a second heater 92 that heats said at least one side electrode (see fig. 1 and col. 7-lines 45-50), and gas inlets and outlets, the method comprising: introducing process gas into said chamber 16B, and heating the upper

electrode with said first heater to a temperature such that any material resulting from the reaction deposited on the surface of the upper electrode forms a stable film comprising halogen elements (see fig. 1 and its description), and heating the at least one side electrode with the second heater. For a complete description see fig. 1 and its description and col. 21-line 43 to col. 22-line 43.

Collins et al. is applied as above but fails to expressly disclose a platinum etch method or where oxygen and chlorine are present in the reactor and heating the upper electrode causes deposits of oxygen and chlorine to de-absorb from the upper electrode in order to leave mostly platinum deposited on the surface. However, it should be noted that Collins et al. discloses that the apparatus of fig. 1 can be used to etch a variety of materials including etching metals (see col. 6-line 28). DeOrnellas et al. discloses a similar three electrode configuration as in Collins et al. (see fig. 7) where platinum or other materials are etched in a chlorine gas and oxygen is inherently present in the chamber (see page 8, line 25 to page 9, line 17). In view of this disclosure, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the process of Collins et al. so as to performing the platinum etching process of DeOrnellas et al. because this would be a suitable method, for example, to reduce the platinum deposits that can form on the wafer.

Furthermore, both Collins et al. and DeOrnellas et al. are applied as above but fail to expressly disclose heating the upper electrode or the side electrode to a temperature of about 300 Celsius to about 500 Celsius. However, a prima facie case of obviousness still exists because generally, differences in concentration or temperature

will not support the patentability of subject matter encompassed by the prior art unless there is evidence indicating such concentration or temperature is critical. "[W]here the general conditions of a claim are disclosed in the prior art, it is not inventive to discover the optimum or workable ranges by routine experimentation." In re Aller, 220 F.2d 454, 456, 105 USPQ 233, 235 (CCPA 1955).

Concerning claims 72-75 and 80-83, note that inherently any gas collected on the upper surface will desorb or boil off from the surface as a result of heating of these surfaces.

Claim 19 and 67-83 are rejected under 35 U.S.C. 103(a) as being unpatentable over Collins et al., U.S. Patent 5,556,501 in view of Keizo, JP 07-130712A.

Collins et al. shows the invention as claimed including a method of operating an etch reactor which comprises a reactor chamber 16B, an upper electrode 17T/17S with power applied thereto from a RF source 40, at least one side electrode 12, a first heater 96 that heats said upper electrode, and a second heater 92 that heats said at least one side electrode (see fig. 1 and col. 7-lines 45-50), and gas inlets and outlets, the method comprising: introducing process gas into said chamber 16B, and heating the upper electrode with said first heater to a temperature such that any material resulting from the reaction deposited on the surface of the upper electrode forms a stable film comprising halogen elements (see fig. 1 and its description), and heating the at least one side electrode with the second heater. For a complete description see fig. 1 and its description and col. 21-line 43 to col. 22-line 43.

Collins et al. is applied as above but fails to expressly disclose a platinum etch method or where oxygen and chlorine are present in the reactor and heating the upper electrode causes deposits of oxygen and chlorine to de-absorb from the upper electrode in order to leave mostly platinum deposited on the surface. However, it should be noted that Collins et al. discloses that the apparatus of fig. 1 can be used to etch a variety of materials including etching metals (see col. 6-line 28). Keizo discloses performing plasma etching of platinum using a chloride containing gas (see abstract). Furthermore, note that inherently oxygen will be present in the chamber. In view of this disclosure, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the process of Collins et al. so as to performing the platinum etching process of Keizo et al. because this would be a suitable method, for example, to reduce the platinum deposits that can form on the wafer.

Furthermore, both Collins et al. Keizo are applied as above but fail to expressly disclose heating the upper electrode or the side electrode to a temperature of about 300 Celsius to about 500 Celsius. However, a prima facie case of obviousness still exists because generally, differences in concentration or temperature will not support the patentability of subject matter encompassed by the prior art unless there is evidence indicating such concentration or temperature is critical. "[W]here the general conditions of a claim are disclosed in the prior art, it is not inventive to discover the optimum or workable ranges by routine experimentation." In re Aller, 220 F.2d 454, 456, 105 USPQ 233, 235 (CCPA 1955).

Concerning claims 72-75 and 80-83, note that inherently any gas collected on the upper surface will desorb or boil off from the surface as a result of heating of these surfaces.

Claims 19, 67, 69-70; 72-78, and 80-83 are rejected under 35 U.S.C. 103(a) as being unpatentable over Imai et al., WO 97/27622 in view of DeOrnellas et al., WO 99/25568.

Imai et al. shows the invention substantially as claimed including a method of operating an etch reactor which comprises a reactor chamber 7, an upper electrode 5, a heater 11 that heats said upper electrode, and gas inlets and outlets comprising: introducing process gas into said chamber 7, and heating the upper electrode with said heater 11 to a temperature such that any material resulting from the reaction deposited on the surface of the upper electrode forms a stable film comprising halogen elements (see fig. 1 and abstract).

Imai et al. is applied as above but fails to expressly disclose a platinum or nonvolatile etch method where oxygen and chlorine are present in the reactor and heating the upper electrode causes deposits of oxygen and chlorine to de-absorb from the upper electrode in order to leave mostly platinum deposited on the surface. DeOrnellas et al. discloses where platinum or other materials are etched in a chlorine gas and oxygen is inherently present in the chamber (see page 8, line 25 to page 9, line 17). In view of this disclosure, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the process of Imai et al. so as to perform

Application/Control Number: 09/888,365

Art Unit: 1763

the platinum etching process of DeOrnellas et al. because this would be a suitable method, for example, to reduce the platinum deposits that can form on the wafer.

Furthermore, Imai et al. and DeOrnellas et al. both fail to expressly disclose heating the upper electrode to a temperature of about 300 Celsius to about 500 Celsius. However, a prima facie case of obviousness still exists because generally, differences in concentration or temperature will not support the patentability of subject matter encompassed by the prior art unless there is evidence indicating such concentration or temperature is critical. "[W]here the general conditions of a claim are disclosed in the prior art, it is not inventive to discover the optimum or workable ranges by routine experimentation." In re Aller, 220 F.2d 454, 456, 105 USPQ 233, 235 (CCPA 1955).

Concerning claims 72-75 and 80-83, note that inherently any gas collected on the upper surface will desorb or boil off from the surface as a result of heating of these surfaces.

Claims 68, 71, and 79 are rejected under 35 U.S.C. 103(a) as being unpatentable over Imai et al., WO 97/27622 in view of DeOrnellas et al. as applied to claims 19, 67, 69-70, 72-78, and 80-83 above, and further in view of Collins et al., U.S. Patent 5,556,501.

Imai et al. and DeOrnellas et al. are applied as above but fail to expressly disclose providing power to the upper electrode and a three electrode structure with a side electrode which is heated by a second heater. Collins et al. discloses an upper electrode 17S with power applied thereto from a RF source 40 and heated by a first

heater 96 and an alternative embodiment in which a three electrode structure has a side electrode formed from the walls, wherein the side electrode is heated by a second heater 92 (see fig. 1 and its description, and col. 21-line 43 to col. 22-line 43). Therefore, in view of this disclosure, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the process of Imai et al. modified by DeOrnellas et al. so as to provide power to the upper electrode, use a three electrode structure and heating the side electrode with a second heater, as disclosed by Collins et al. because providing power to the upper electrode allows for the flexibility of both inductive and capacitive coupling during the etching process, the three electrode process allows for additional process control and enhancement and heating the side walls provides controllability of the temperature and of the process (see col. 21-lines 44-46).

Claims 19, 67, 69-70, 72-78, and 80-83 are rejected under 35 U.S.C. 103(a) as being unpatentable over Imai et al., WO 97/27622 in view of Keizo, JP 07-130712A.

Imai et al. shows the invention substantially as claimed including a method of operating an etch reactor which comprises a reactor chamber 7, an upper electrode 5, a heater 11 that heats said upper electrode, and gas inlets and outlets comprising: introducing process gas into said chamber 7, and heating the upper electrode with said heater 11 to a temperature such that any material resulting from the reaction deposited on the surface of the upper electrode forms a stable film comprising halogen elements (see fig. 1 and abstract).

Imai et al. is applied as above but fails to expressly disclose a platinum etch method or where oxygen and chlorine are present in the reactor and heating the upper electrode causes deposits of oxygen and chlorine to de-absorb from the upper electrode in order to leave mostly platinum deposited on the surface. Keizo discloses performing plasma etching of platinum using a chloride containing gas (see abstract). In view of this disclosure, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the process of Imai et al. so as to perform the platinum etching process of Keizo because this would be a suitable method, for example, to reduce the platinum deposits that can form on the wafer.

Furthermore, Imai et al. and Keizo both fail to expressly disclose heating the upper electrode to a temperature of about 300 Celsius to about 500 Celsius. However, a prima facie case of obviousness still exists because generally, differences in concentration or temperature will not support the patentability of subject matter encompassed by the prior art unless there is evidence indicating such concentration or temperature is critical. "[W]here the general conditions of a claim are disclosed in the prior art, it is not inventive to discover the optimum or workable ranges by routine experimentation." In re Aller, 220 F.2d 454, 456, 105 USPQ 233, 235 (CCPA 1955).

Concerning claims 72-75 and 80-83, note that inherently any gas collected on the upper surface will desorb or boil off from the surface as a result of heating of these surfaces.

Claims 68, 71, and 79 are rejected under 35 U.S.C. 103(a) as being unpatentable over Imai et al., WO 97/27622 in view of Keizo, JP 07-130712A as applied to claims 19, 67, 69-70, 72-78, and 80-83 above, and further in view of Collins et al., U.S. Patent 5,556,501.

Imai et al. and Keizo are applied as above but fail to expressly disclose providing power to the upper electrode and a three electrode structure with a side electrode which is heated by a second heater. Collins et al. discloses an upper electrode 17S with power applied thereto from a RF source 40 and heated by a first heater 96 and an alternative embodiment in which a three electrode structure has a side electrode formed from the walls, wherein the side electrode is heated by a second heater 92 (see fig. 1 and its description, and col. 21-line 43 to col. 22-line 43). Therefore, in view of this disclosure, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the process of Imai et al. modified by Keizo so as to provide power to the upper electrode, use a three electrode structure and heating the side electrode with a second heater, as disclosed by Collins et al. because providing power to the upper electrode allows for the flexibility of both inductive and capacitive coupling during the etching process, the three electrode process allows for additional process control and enhancement and heating the side walls provides controllability of the temperature and of the process (see col. 21-lines 44-46)...

Response to Arguments

Applicant's arguments filed 5/1/06 have been fully considered but they are not persuasive. With respect to the rejection under 35 USC 103(a) over Collins et al. in view of DeOrnellas et al., applicant argues that the etching process in Collins et al. is not the same process as in the claimed invention. In response to applicant's arguments against the references individually, one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986). Furthermore, applicant argues that Collins et al. fails to disclose the particular temperature to which the electrode is heated. However, Collins et al. does teach heating the electrode and applicant has not shown through secondary evidence such as affidavits and declarations unexpected results associated with the claimed preferred temperature range. Moreover, applicant argues that DeOrnellas et al. does not disclose the heating of the electrode. However, the DeOrnellas et al. reference is not relied upon to disclose such a limitation.

Concerning the rejection of claims 19 and 67-83 over Collins et al. in view of Keizo, applicant argues that the motivation to combine the references is improper. In response to applicant's argument that there is no suggestion to combine the references, the examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art.

See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988) and *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992). In this case, the motivation to combine the references was stated in the previous office action. In addition, note that there are other motivations for modifying the process of Collins et al. so as to include the platinum etching process of Keizo including, for instance, the increase of yields and low damage to sensitive devices.

With respect to the rejection over Imai et al. in view of DeOrnellas et al. or Keizo, applicant argues that the motivation to combine the references is improper. In response to applicant's argument that there is no suggestion to combine the references, the examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art.

See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988) and *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992). In this case, the motivation to combine the references was stated in the previous office action. In addition, note that there are other motivations for modifying the process of Imai et al. so as to include the platinum etching process of DeOrnellas et al. including, for instance, the scavenging of a halogen such as chlorine.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Luz L. Alejandro whose telephone number is 571-272-1430. The examiner can normally be reached on Monday to Thursday from 7:30 to 6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Parviz Hassanzadeh can be reached on 571-272-1435. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 09/888,365

Art Unit: 1763

Page 14

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000/1

Luz L. Alejandro Primary Examiner Art Unit 1763

June 29, 2006